

	μ.		1501- +	(17/07-09-2016)	
μ					
78.10.02	18	μ , 12,5 mm			
22.22.01	19	μ			
77.54	21	μ μ , μ μ	03-10-01-00		
77.80.02	22	μ μ , μ μ μ μ , - μ	03-10-02-00		
72.11	23	μ μ μ	03-05-01-00		
79.11.02	24	μ μ μ μ , μ μ - μ (APP), μ μ μ	03-06-01-01 *	μ - μ μ μ	03-06-01-01
73.47	25	μ ()			
79.08	26	μ μ			
77.15	27	μ μ μ μ μ	03-10-02-00		
77.102	28	μ μ , μ μ μ			
\22.45.1	29	μ (,) - μ μ , μ			
\65.05.1	30	μ , μ μ μ μ			
\65.17.06	31	μ μ μ μ μ μ			
76.27.02	32	μ μ - μ - 12 mm, 5 mm) 22 mm, (5 mm,	03-08-07-02		
54.49	33	μ μ μ	03-08-01-00		
23.03	34	μ	01-03-00-00 *	μ	01-03-00-00
8153.1	48				
8151.2	49	μ μ μ			
8179.2	50	μ μ μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
8178.2.1	51	15 15 cm			
8141.2.2	52	μ (μ) μ - μ , μ 1/2 ins			
\8152	53	μ μ μ μ 1 1/4 ins			
\9762.1	54	μ 50 40 cm			
\8130.3	55	100 mm μ () μ			
\8028.3	56	100 mm μ μ			
\9424.1	57	μμ 40x40 cm. , μ ,			
\8105.13	58	μ DN20 6 10			
\8105.12	59	4 μ DN20			
\8174.1	60				
\8066.1.11	61	. 40cm X 40cm 0,50 m			
8168.1	62	cm 4 mm μ 36 48			
\8053.1	64	μ 100 mm 6 atm μ			
\38.46	65	μ μ μ , μ ,	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-02-01-00 *	μ μ	01-02-01-00
			01-04-00-00		
			01-05-00-00		
			03-10-01-00		
32.05.04	67	μ μ C16/20 μ			

